
AMC 10

SET 7

HALF-LENGTH PRACTICE

TIME ALLOWED

30 : 00

10 QUESTIONS • 30 MINUTES • 60 POINTS • MIDDLE BAND (PROBLEMS 10--20)

DO NOT OPEN THIS BOOKLET UNTIL YOU ARE TOLD TO BEGIN.

Name _____ Date _____ Start _____ Finish _____

All 10 problems come from positions 10–20 of past AMC 10 contests (2000–2019) and appear in their original wording, in order of their original position. Problems © Mathematical Association of America.


INSTRUCTIONS

1. Do not open this booklet until you are told to begin.
2. This is a 10-question multiple-choice test. Every problem was originally problem 10 to 20 of an AMC 10 — the middle band of the paper, where scores are decided. They appear in order of their original position, so the difficulty rises from the first problem to the last.
3. Each question is followed by answers marked (A), (B), (C), (D) and (E). Only one of these is correct. Mark your answers on the answer sheet at the back of this booklet.
4. **Scoring:** 6 points for each correct answer, 1.5 points for each problem left unanswered, 0 points for each incorrect answer. A random guess is worth less, on average, than a blank.
5. Only scratch paper, graph paper, rulers, compasses, protractors and erasers are allowed. No calculators, smartwatches, phones or computing devices.
6. Figures are not necessarily drawn to scale.
7. You will have **30 minutes**. Note your start time on the cover and stop the moment the time is up.

Pacing guide

Three minutes per problem is the pace of the real test in this band: problems 1–5 in about 13 minutes, problems 6–10 in the remaining 17. If a problem has taken three minutes with no plan in sight, move on and come back.

- What are the sign and units digit of the product of all the odd negative integers strictly greater than -2015 ?
 (A) It is a negative number ending with a 1. (B) It is a positive number ending with a 1.
 (C) It is a negative number ending with a 5. (D) It is a positive number ending with a 5.
 (E) It is a negative number ending with a 0.
- Suppose that (u_n) is a sequence of real numbers satisfying $u_{n+2} = 2u_{n+1} + u_n$, and that $u_3 = 9$ and $u_6 = 128$. What is u_5 ?
 (A) 40 (B) 53 (C) 68 (D) 88 (E) 104
- Henry's Hamburger Heaven offers its hamburgers with the following condiments: ketchup, mustard, mayonnaise, tomato, lettuce, pickles, cheese, and onions. A customer can choose one, two, or three meat patties, and any collection of condiments. How many different kinds of hamburgers can be ordered?
 (A) 24 (B) 256 (C) 768 (D) 40,320 (E) 120,960
- As shown below, convex pentagon $ABCDE$ has sides $AB = 3$, $BC = 4$, $CD = 6$, $DE = 3$, and $EA = 7$. The pentagon is originally positioned in the plane with vertex A at the origin and vertex B on the positive x -axis. The pentagon is then rolled clockwise to the right along the x -axis. Which side will touch the point $x = 2009$ on the x -axis?



- (A) $\overline{AB}$ (B) $\overline{BC}$ (C) $\overline{CD}$ (D) $\overline{DE}$ (E) $\overline{EA}$

5. David drives from his home to the airport to catch a flight. He drives 35 miles in the first hour, but realizes that he will be 1 hour late if he continues at this speed. He increases his speed by 15 miles per hour for the rest of the way to the airport and arrives 30 minutes early. How many miles is the airport from his home?

(A) 140 (B) 175 (C) 210 (D) 245 (E) 280

6. There are 10 horses, named Horse 1, Horse 2, ..., Horse 10. They get their names from how many minutes it takes them to run one lap around a circular race track: Horse k runs one lap in exactly k minutes. At time 0 all the horses are together at the starting point on the track. The horses start running in the same direction, and they keep running around the circular track at their constant speeds.

The least time $S > 0$, in minutes, at which all 10 horses will again simultaneously be at the starting point is $S = 2520$. Let $T > 0$ be the least time, in minutes, such that at least 5 of the horses are again at the starting point. What is the sum of the digits of T ?

(A) 2 (B) 3 (C) 4 (D) 5 (E) 6

7. All the numbers 2, 3, 4, 5, 6, 7 are assigned to the six faces of a cube, one number to each face. For each of the eight vertices of the cube, a product of three numbers is computed, where the three numbers are the numbers assigned to the three faces that include that vertex. What is the greatest possible value of the sum of these eight products?

(A) 312 (B) 343 (C) 625 (D) 729 (E) 1680

8. At Jefferson Summer Camp, 60% of the children play soccer, 30% of the children swim, and 40% of the soccer players swim. To the nearest whole percent, what percent of the non-swimmers play soccer?

(A) 30% (B) 40% (C) 49% (D) 51% (E) 70%

9. In rectangle $ABCD$, $AB = 6$ and $BC = 3$. Point E between B and C , and point F between E and C are such that $BE = EF = FC$. Segments $\overline{AE}$ and $\overline{AF}$ intersect $\overline{BD}$ at P and Q , respectively. The ratio $BP : PQ : QD$ can be written as $r : s : t$ where the greatest common factor of r , s , and t is 1. What is $r + s + t$?

(A) 7 (B) 9 (C) 12 (D) 15 (E) 20

10. Two points on the circumference of a circle of radius r are selected independently and at random. From each point a chord of length r is drawn in a clockwise direction. What is the probability that the two chords intersect?

(A) $\frac{1}{6}$ (B) $\frac{1}{5}$ (C) $\frac{1}{4}$ (D) $\frac{1}{3}$ (E) $\frac{1}{2}$

END OF EXAMINATION

ANSWER SHEET

AMC 10 • HALF-LENGTH PRACTICE • SET 7

Name _____

Date _____

- 1

A

B

C

D

E
- 2

A

B

C

D

E
- 3

A

B

C

D

E
- 4

A

B

C

D

E
- 5

A

B

C

D

E

- 6

A

B

C

D

E
- 7

A

B

C

D

E
- 8

A

B

C

D

E
- 9

A

B

C

D

E
- 10

A

B

C

D

E

Fill in one circle per question. Leave the row empty to skip.

Correct	Blank	Wrong	Score
×6	×1.5	×0	/ 60